


















Food		Facts/Common Symptoms
Chocolate		<ul style="list-style-type: none"> ➤ The darker, the more dangerous. ➤ Symptoms: vomiting, diarrhea, elevated heart rate, seizures, and death.
Grapes/Raisins		<ul style="list-style-type: none"> ➤ Can cause kidney failure. ➤ Symptoms: Vomiting, diarrhea, lethargy, and excessive thirst/urination.
Onions, chives, garlic		<ul style="list-style-type: none"> ➤ More dangerous to cats. ➤ Symptoms: Lethargy, weakness, ataxia, red/brown urine, hyper-salivation, vomiting/diarrhea.
Uncooked meat/eggs/bones		<ul style="list-style-type: none"> ➤ Can cause pancreatitis ➤ Bones can splinter and cause obstructions and lacerations ➤ Symptoms: Vomiting and diarrhea.

Alcohol		<ul style="list-style-type: none"> ➤ Hops are very toxic. ➤ Symptoms: hyperactivity, confusion, vomiting, seizures, and foaming of the mouth.
Caffeine		<ul style="list-style-type: none"> ➤ Is found in multiple products, i.e. coffee, soda, diet pills, etc. ➤ Symptoms: hyperactivity, restlessness, vomiting, tremors, seizures, and abnormal heart rhythms.
Salt		<ul style="list-style-type: none"> ➤ Symptoms: Vomiting, Diarrhea, lethargy, excessive thirst, tremors, and seizures.
Yeast dough		<ul style="list-style-type: none"> ➤ If ingested, yeast can multiply in the GI tract and cause an obstruction and alcohol intoxication. ➤ Symptoms: Lack of coordination, stupor and vomiting.
Avocado		<ul style="list-style-type: none"> ➤ Ingestion of the pit can cause an obstruction.

		<ul style="list-style-type: none"> ➤ Symptoms: Gastrointestinal tract upset.
Xylitol (sugar)		<ul style="list-style-type: none"> ➤ Is found in many products, i.e. gum, candy, baked goods, and tooth paste. ➤ Can lead to liver failure. ➤ Symptoms: Vomiting, diarrhea, lethargy, and loss of coordination.

Product		Facts/Symptoms
Prescription Medications (human and veterinary)		<ul style="list-style-type: none"> ➤ Contact your veterinarian immediately if large amounts are consumed. ➤ Symptoms: Varies depending on medication but can cause increased heart rate, hyperactivity, and seizures.
Over-the-counter Human Medications		<ul style="list-style-type: none"> ➤ Tylenol, ibuprofen, and aspirin can cause liver failure. ➤ Symptoms: vomiting, abnormal stools, lethargy, excessive thirst/urination.
Over-the-counter Veterinary Medications		<ul style="list-style-type: none"> ➤ These are safe if recommended dose is given. Seek veterinary attention otherwise.

		<ul style="list-style-type: none"> ➤ Symptoms: varies depending on medication.
<p>Insecticides/Fertilizers</p>		<ul style="list-style-type: none"> ➤ Always read label before using any product around your pet. ➤ Symptoms: vomiting, diarrhea, anorexia, lethargy, and seizures.
<p>Rodenticides</p>		<ul style="list-style-type: none"> ➤ Symptoms: internal bleeding, kidney failure, or seizures.
<p>Nicotine</p>		<ul style="list-style-type: none"> ➤ Symptoms: sever vomiting, depression, elevated heart rate, respiratory failure, and seizures.
<p>Antifreeze</p>		<ul style="list-style-type: none"> ➤ Commonly ingested from a car leak. ➤ Is EXTREMELY toxic! ➤ Symptoms: Uncoordinated movement, vomiting, diarrhea, rapid heartbeat, confusion, tremors, and seizures.